September 1, 2018 – September 30, 2018





September 1, 2018 - September 30, 2018

TABLE OF CONTENTS

1.	PSAP Operations	4
	9-1-1 Call Volume – September 2018	4
	9-1-1 Call Volume – Calendar Year 2018	4
	PSAP Operation Notes:	4
	For Your Information	5
	Text to 911 – Current Month – September 2018	5
	Note:	5
	Wireless PSAP Testing – September 2018	6
	Notes:	6
2.	MSAG (Master Street Address Guide)	7
	MSAG Transactions Current Month/Year – September 2018	7
	MSAG Current Month Notes:	
	Telephone Record (ALI) Transactions Current Month Notes:	8
	Open Telephone Record (ALI) Discrepancy Status:	8
	TNCR (Telephone Number Change Request) Current Status – September, 2018	9
	Note:	9
	Dispatchable Location – Status As Of – September 2018	
	Narrative:	
	Spectrum (Charter) 9-1-1 VoIP Database Verification Project - September 2018	
	Bandwidth 9-1-1 VoIP Database Verification Project – September 2018	

September 1, 2018 - September 30, 2018

3.	Geographic Information System (GIS) – September 2018	13
	Mapping Layers Updated (Part I)	13
	Mapping Layers Updated (Part II)	14
	Mapping Layers Updated (Part III)	15
	Mapping Layers Updated (Part IV)	16
	Mapping Layers Updated (Part V)	17
	Mapping Layers Updated (Part VI)	18
	Note:	19
	Geographic Information System (GIS) Narratives	19
	GIS Key Activities/Updates	19
	Spillman Project	19
	MapFlex System	20
	MapFlex Issues	20
	DATE	20
	ISSUE	20
	DESCRIPTION	20
	STATUS	20
	Open Service Requests – September 2018	22
	Note:	22
	Service Request Year-to-Date (YTD) Summary – 2018	22
5.	E9-1-1 Database Synchronization	23
	Audit Summary Results – 2018 TBA	23
	Audit Summary Results – October 1, 2018 MSAG vs. July 1, 2018 MSAG TBA	23
	Invalid MSAG Streets and Address Ranges – ESN X99 Records TBA	23
	Automatic Location Identification (ALI) Database Discrepancies TBA	23



September 1, 2018 - September 30, 2018

1. PSAP OPERATIONS

9-1-1 CALL VOLUME - SEPTEMBER 2018

(Source:) West Safety Services Viper system

	9-1-1 Call Volume																
KAUA	N PSAP	Wire	eline		Wire	less		VC)IP	Calls No		Admir	n Calls	Aband Ca	doned Ills	Other	Calls
2018	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other	% of Total Calls
Sept	4,458	497	11.15%	3,130	70.21%	50.29%	49.71%	150	3.36%	5	0.11%	0	0.00%	676	15.16%	0	0.00%

9-1-1 CALL VOLUME - CALENDAR YEAR 2018

							9-1	I-1 Call	Volum	e							
KAUA	I PSAP	Wireline			Wireless		VOIP		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls		
2018	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other	% of Total Calls
JAN	4,613	664	14.39%	3,054	66.20%	46.43%	53.57%	157	3.40%	5	0.11%	0	0.00%	733	15.89%	0	0.00%
FEB	1,757	242	13.77%	1,211	68.92%	43.27%	56.73%	54	3.07%	0	0.00%	0	0.00%	250	14.23%	0	0.00%
MAR	4,632	682	14.72%	3,094	66.80%	46.57%	53.43%	146	3.15%	14	0.30%	0	0.00%	696	15.03%	0	0.00%
APR	4,519	600	13.28%	3,086	68.29%	43.03%	56.97%	173	3.83%	5	0.11%	0	0.00%	655	14.49%	0	0.00%
MAY	4,406	560	12.71%	3,010	68.32%	43.16%	56.84%	144	3.27%	8	0.18%	0	0.00%	684	15.52%	0	0.00%
JUNE	4,512	559	12.39%	3,107	68.86%	44.90%	55.10%	169	3.75%	8	0.18%	0	0.00%	669	14.83%	0	0.00%
JULY	4,922	620	12.60%	3,347	68.00%	48.73%	51.27%	173	3.51%	6	0.12%	0	0.00%	776	15.77%	0	0.00%
AUG	4,622	553	11.96%	3,196	69.15%	45.99%	54.01%	170	3.68%	7	0.15%	0	0.00%	696	15.06%	0	0.00%
SEPT	4,458	497	11.15%	3,130	70.21%	50.29%	49.71%	150	3.36%	5	0.11%	0	0.00%	676	15.16%	0	0.00%
ост																	
NOV																	
DEC																	
YTD	38,441	4,977		26,235				1336		58		0		5,835		0	
MON AVG	4,271	553	13.00%	2,915	68.31%	45.82%	54.18%	148	3.45%	6	0.14%	0	0.00%	648	15.11%	0	0.00%

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a calltaker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the total Wireline and Wireless counts respectively.
- All VoIP (Voice over Internet Protocol) type of 911 calls is combined in the Call Volume statistic.
- 911 Calls with No Ali for September 2018 = 0.11% Statewide average for 2017 = 0.08%

September 1, 2018 - September 30, 2018

FOR YOUR INFORMATION

	FYI For Your Information							
PSAP Operations								
Statewide 911 Call Volumes								
PSAP	201	.7	20	16	2015			
Oahu Civilian	1,022,818	72.16%	1,009,059	71.93%	1,019,402	70.94%		
RDC Pearl Harbor	27,916	1.97%	N/A	N/A	N/A	N/A		
Hawaii County	193,166	13.63%	205,412	14.64%	217,768	15.15%		
Maui County	123,685	8.73%	137,333	9.80%	142,952	9.95%		
Kauai County	49,902	3.52%	50,955	3.63%	56,874	3.96%		
Total	Total 1,417,487 100.00% 1,402,759 100.00% 1,436,997 100.00%							
2016 & 2015 State wide	e average does	not include	Military 911 ca	lls.				

TEXT TO 911 - CURRENT MONTH - SEPTEMBER 2018

TEXT TO 911 Kar	TEXT TO 911 Kauai County 2018							
Month	Total received							
January	3							
February	0							
March	1							
April	12							
May	7							
June	10							
July	7							
August	8							
September	10							
October								
November								
December								
YTD	58							
Monthly Avg.	6.4							

NOTE:

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.



September 1, 2018 - September 30, 2018

WIRELESS PSAP TESTING - SEPTEMBER 2018

	KAUAI COUNTY - SEPTEMBER 2018								
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:			

NOTES:

- There were no (0) scheduled Wireless 911 testing for the month of September 2018.
- Verizon Wireless is currently migrating their Wireless network database from West to ComTech.



September 1, 2018 - September 30, 2018

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR - SEPTEMBER 2018

	9-1-1 TRANSACTIONS										
KAUAI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Sub	ALI Submitted		Open ALI Discrepancy Records				
2018		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected		
JANUARY	353	347	6	0	0	22	0	0	355		
FEBRUARY	168	166	1	0	1	6	0	0	202		
MARCH	270	261	9	0	0	77	0	0	285		
APRIL	124	118	6	0	0	65	0	0	105		
MAY	115	107	8	0	0	102	0	0	100		
JUNE	107	101	6	0	0	170	0	0	57		
JULY	107	95	12	0	0	163	0	0	153		
AUGUST	128	127	1	0	0	203	0	0	97		
SEPTEMBER	156	155	1	0	0	308	0	0	74		
OCTOBER											
NOVEMBER											
DECEMBER											
TOTAL YTD	1,528	1,477	50	0	1				1,428		
AVG PER MONTH	170	164	6	0	0				159		

Definitions

- (A) Dispatchable Location is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) Telephone Number Change Request Represents address corrections on a specific TN or group of TNs. These invalid" TNs usually have an associated ESN 499 attached to them which indicates the need for validation.
- (D) Automatic Location Information Discrepancy Record Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.

Page 7 of 23



September 2018

Kauai County E9-1-1 Status Report

September 1, 2018 - September 30, 2018

MSAG CURRENT MONTH NOTES:

A total of **156** MSAG transactions were processed in 9-1-1 Net during the current month. One **(1)** request was processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records. As of the current month, Akimeka has submitted **3,050** Dispatchable Location transactions for Kauai County.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Akimeka processed 155 TN CRs related to the Dispatchable Location Project during the current month. In July, Akimeka began processing Dispatchable Location for commercial and business sites, starting in Lihue, working clockwise around the island and continued working in Lihue throughout the month of September. This progress will be updated in the Dispatchable Location chart each month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

• There are currently 308 Open TN CRs.

308 Open TN CR transactions are a result of the Dispatchable Location project. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to West for correction, it must be verified against HT records and/or approved by the customer. West's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- There are currently no Open ALI-DRs.
- There are currently no Open VoIP DRs.

September 1, 2018 - September 30, 2018

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – SEPTEMBER, 2018

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by West Safety Services for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request								
(Telephone Number Change Request (TNCR) Status)									
PSAP	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY WEST SAFETY SERVICES	OPENED TNCRS REFERRED TO TELCO BY WEST SAFETY SERVICES	TOTAL UNOPENED TNCR RECORDS					
KAUAI	308	1	1	306					

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The West Safety Services Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

<u>TOTAL UNOPENED TNCR RECORDS STATUS</u> - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

September 1, 2018 - September 30, 2018

DISPATCHABLE LOCATION – STATUS AS OF – SEPTEMBER 2018

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of August 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the **Kukui Grove Center at 302600 Kaumualii Hwy, Lihue**. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number.

155 transactions were submitted and 1 transactions were processed by West in September 2018.

	Dispatchable Location						
2018	Common Name Place	TNCR Transactions	Transactions				
Quarter 3	MSAG Address	Submitted	Processed				
Quarter 2 Carryover		2673	2648				
	Hale Pumehana Bldg, 3083 Akahi St, Lihue	18	15				
	Multiple Business, 303100 Kuhio Hwy, Lihue	19	4				
	Multiple Business, 303215 Kuhio Hwy, Lihue	4	0				
	Multiple Business, 303220 Kuhio Hwy, Lihue	6	6				
July	Multiple Business, 303227 Kuhio Hwy, Lihue	2	1				
	KFC, 303229 Kuhio Hwy, Lihue	1	0				
	Multiple Business, 4442 Hardy St, Lihue	3	2				
	Kukui Grove Audit, 302600 Kaumualii Hwy, Lihue	19	23				
	Walmart, 303300 Kuhio Hwy, Lihue	23	3				
	Kmart, 4303 Nawiliwili Rd, Lihue	16	1				
August	Multiple Business, Hoolako St, Lihue	8	0				
	Multiple Business, Rice St, Lihue	103	38				
	Multiple Business, Aukele St, Lihue	107	0				
September	Multiple Business, Hoolako St, Lihue	48	1				
Quarter 3 Total		377	94				
Total		3050	2742				

Page 10 of 23

September 1, 2018 - September 30, 2018

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2018

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

	*Spectrum (Charter) 9-1-1 VoIP Database Verification Project							
	TOTAL	TOTAL RECORDS	TOTAL	NON	PERCENT			
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED			
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS				
ISAI	SPECTRUM	911 DATABASES	MATCHING	CORRECTED				
	(A)	(B)		BY AKIMEKA				
				(C)				
HAWAII County	22,044	21,638 (98%)	406	406	100.00%			
KAUAI County	8,936	8,695 (97%)	241	241	100.00%			
MAUI County	18,256	17,517 (96%)	739	739	100.00%			
OAHU Cilivian	87,414	85,329 (98%)	2,085	1,800	86.33%			
OAHU Military	3,663	710 (19%)	2,953	2,940	99.56%			
TOTAL	140,313	**133,889	6,424	6,126	97.18%			

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

September 1, 2018 - September 30, 2018

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2018

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth									
9-1-1 VoIP Database Verification Project **(Updated)									
	TOTAL TOTAL NEW TOTAL NON PERCENT								
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED				
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS					
PSAP	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED					
	(A)	(B)		BY AKIMEKA					
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
HAWAII County	545	85	0	0	100.00%				
KAUAI County	306	41	0	0	100.00%				
MAUI County	914	222	1	1	100.00%				
OAHU Cilivian	4,065	888	1	1	100.00%				
OAHU Military	56	7	0	0	100.00%				
TOTAL	5,886	1,243	2	2	100.00%				

^{*}Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

^{**}Updated Bandwidth VoIP Database received on September 6th, 2018



September 1, 2018 - September 30, 2018

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – SEPTEMBER 2018

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY							
Type of Layer	Type of Layer Akimeka GIS Server Date Created/ Edits Performed		Other/Remarks				
Cl	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
	(Listed Alphabetically)						
		09/27/18					
	9/21/2018		Added Location Name for two (2) addresses in Eleele				
	9/21/2018		Added one (1) address in Hanalei				
	9/21/2018		Added Location Name for one (1) address in Kalaheo				
	9/21/2018		Added Location Name for one (1) address in Kapaa				
	9/21/2018		Spatially corrected one (1) address points in Kapaa				
	9/21/2018		Added Location Name for one (1) address in Lihue				
	9/21/2018		Spatially corrected one (1) address point in Lihue				
	9/21/2018		Added Location Name for one (1) address in Omao				
	9/21/2018		Spatially corrected one (1) address point in Princeville				
	9/21/2018		Added Location Name for one (1) address in Waimea				
	9/13/2018		Spatially corrected twelve (12) address points in Anahola				
	9/13/2018		Spatially corrected one (1) address point in Eleele				
	9/13/2018		Added Location Name for one (1) address in Hanalei				
	9/13/2018		Added Location Name for two (2) addresses in Hanapepe				
	9/13/2018		Spatially corrected (1) one address point in Kapaia				
Address Points	9/13/2018		Added Location Name for one (1) address in Kapaia				
	9/13/2018		Added one (1) address in Kapaa				
	9/13/2018		Added Location Name for one (1) address in Kapaa				
	9/13/2018		Spatially corrected twenty-one (21) address points in Kapaa				
	9/13/2018		Updated Location Name for one (1) address in Kekaha				
	9/13/2018		Spatially corrected one (1) address point in Kekaha				
	9/13/2018		Added one (1) address in Kekaha				
	9/13/2018		Spatially corrected twenty-four (24) address points in Kilauea				
	9/13/2018		Added Location Name for two (2) addresses in Kilauea				
	9/13/2018		Spatially corrected twenty (20) address points in Koloa				
	9/13/2018		Added Location Name for one (1) address in Koloa				
	9/13/2018		Spatially corrected one (1) address point in Lawai				
	9/13/2018		Spatially corrected three (3) address points in Nawiliwili				
	9/13/2018		Spatially corrected one (1) address point in Omao				
	9/13/2018		Spatially corrected one (1) address point in Poipu				
	9/13/2018		Spatially corrected one (1) address point in Port Allen				
	9/13/2018		Added one (1) address in Port Allen				

Page 13 of 23

Kauai County



September 1, 2018 - September 30, 2018

MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	KAUAI COUNTY					
Type of Layer Akimeka GIS Server Date Created/ Edits Performed		Date GIS Delivered	Other/Remarks			
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
(Listed Alphabetically)						
	9/13/2018		Added Location Name for one (1) address in Waimea			
	9/13/2018		Spatially corrected one (1) address point in Waipouli			
	9/13/2018		Spatially corrected thirteen (13) address points in Lihue			
	9/13/2018		Updated Location Name for ten (10) addresses in Lihue			
	9/13/2018		Spatially corrected two (2) address points in Kaunakakai			
	9/12/2018		Added Location Name for four (4) addresses in Kapaa			
	9/12/2018		Added Location Name for three (3) addresses in Kekaha			
	9/12/2018		Added Location Name for two (2) addresses in Kilauea			
	9/12/2018		Added Location Name for five (5) addresses in Koloa			
Address Points	9/12/2018		Added one (1) address in Koloa			
	9/12/2018		Added Location Name for one (1) address in Lawai			
Address Folitis	9/12/2018		Added Location Name for five (5) addresses in Lihue			
	9/12/2018		Added Location Name for one (1) address in Nawiliwili			
	9/12/2018		Added Location Name for one (1) address in Omao			
	9/12/2018		Added Location Name for one (1) address in Poipu			
		09/11/18				
	9/10/2018		Spatially corrected one (1) address point in Haena			
	9/10/2018		Spatially corrected two (2) address points in Moloaa			
	9/10/2018		Spatially corrected two (2) address points in Kilauea			
	9/10/2018		Spatially corrected one (1) address in Kokee			
	9/10/2018		Added five (5) addresses in Kapaa			
	9/10/2018		Spatially corrected two hundred forty-two (242) addresses in Kapaa			
Airports						
Bridges						
Building Footprints						
Bus Stops						
•		09/27/18				
	9/21/2018		Updated one (1) church name in Princeville			
Classes Is a se	9/21/2018		Updated one (1) church address in Eleele			
Churches	9/21/2018		Updated one (1) church address in Waimea			
	9/13/2018		Spatially corrected one (1) church in Kapaa			
	9/13/2018		Spatially corrected one (1) address point in Anahola			

Page 14 of 23

Kauai County

September 1, 2018 - September 30, 2018

MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks			
Cl	RITICAL 9-1-1 I	PUBLIC SAFET	Y LAYERS FOR DISPATCH & RESPONSE			
	(Listed Alphabetically)					
	9/13/2018		Spatially corrected two (2) address points in Hanapepe			
	9/13/2018		Updated one (1) church name in Hanapepe			
	9/13/2018		Spatially corrected four (4) address points in Kapaa			
	9/13/2018		Added one (1) church in Kapaa			
	9/13/2018		Spatially corrected one (1) church in Kapaia			
	9/13/2018		Spatially corrected four (4) churches in Kekaha			
	9/13/2018		Updated one (1) church name in Kekaha			
	9/13/2018		Spatially corrected four (4) churches in Kilauea			
	9/13/2018		Updated one (1) church name in Kilauea			
	9/13/2018		Spatially corrected six (6) churches in Koloa			
Cl. 1	9/13/2018		Spatially corrected one (1) church in Lawai			
Churches	9/13/2018		Updated one (1) church name in Lihue			
	9/13/2018		Spatially corrected four (4) churches in Lihue			
	9/13/2018		Spatially corrected one (1) church in Nawiliwili			
	9/13/2018		Spatially corrected one (1) church in Omao			
	9/13/2018		Spatially corrected one (1) church in Poipu			
	9/13/2018		Spatially corrected one (1) church in Waimea			
	9/13/2018		Spatially corrected one (1) church in Waipouli			
	9/12/2018		Updated one (1) church name in Kalaheo			
	9/12/2018		Updated one (1) church name in Kilauea			
	9/12/2018		Updated one (1) church name in Lihue			
	9/12/2018		Updated two (2) church names in Kapaa			
Coastal Names						
Coastline						
Common Places						
Correctional Facilities						
Emergency Callboxes						
Emergency Operation						
Centers						
Emergency Shelters						
		09/27/18				
ESZ/ESN	9/24/2018		Updated boundary between ESN 431 and 434 to match spatially corrected			
	, ,		street centerlines			

Page 15 of 23

September 1, 2018 - September 30, 2018

MAPPING LAYERS UPDATED (PART IV)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY							
Type of Layer	Type of Layer Akimeka GIS Server Date Created/ Edits Performed		Other/Remarks				
CI	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
		(Liste	d Alphabetically)				
		09/27/18					
Fire Beats	9/24/2018		Updated boundary between Beat 4 and 5 to match spatially corrected street centerlines				
Fire Districts							
		09/27/18					
Fire Response Areas	9/24/2018		Updated boundary between RA 40 & 50 to match spatially corrected street centerlines				
Fire Stations							
Food & Beverage							
Gas Stations							
Gate Codes							
Government Buildings							
Harbors							
Helipads							
Hiking Trails							
Hospitals							
Hydrants							
Hyrdology Layers							
Incident Response Areas							
Lodging							
Major Roads							
Medic Beats							
Medic Districts							
Medic Response Areas							
Medic Stations							
Medical Facilities							
Milepost Markers							
MSAG Communities							
Net Junctions							
Ocean Rescue Boundaries							
Ocean Safety							
Parcels							



September 1, 2018 - September 30, 2018

MAPPING LAYERS UPDATED (PART V)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY								
Type of Layer	Type of Layer Akimeka GIS Server Date GIS Date GIS Delivered Edits Performed		Other/Remarks					
CI	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)							
Parks								
Parks Polygon								
raiks rolygon		09/27/18						
	9/24/2018	00/21/10	Updated one (1) address in Lihue					
	9/21/2018		Spatially corrected two (2) POI in Eleele					
	9/21/2018		Spatially corrected one (1) POI in Kapaa					
	9/21/2018		Corrected one (1) POI address in Lihue					
	9/21/2018		Spatially corrected one (1) POI in Princeville					
	9/21/2018		Corrected one (1) POI address in Waimea					
	9/12/2018		Added one (1) POI in Anahola					
	9/12/2018		Added two (2) POI in Eleele					
	9/12/2018		Added three (3) POI in Hanapepe					
	9/12/2018		Added one (1) POI in Hanalei					
	9/12/2018		Added one (1) POI in Kapaia					
	9/12/2018		Added one (1) POI in Lawai					
	9/12/2018		Added one (1) POI in Nawiliwili					
	9/12/2018		Added one (1) POI in Omao					
Points of Interest	9/12/2018		Added one (1) POI in Poipu					
	9/12/2018		Added one (1) POI in Port Allen					
	9/12/2018		Added one (1) POI in Princeville					
	9/12/2018		Added one (1) POI in Waipouli					
	9/12/2018		Added three (3) POI in Hanapepe					
	9/12/2018		Added seven (7) POI in Kapaa					
	9/12/2018		Added four (4) POI in Kekaha					
	9/12/2018		Added five (5) POI in Kilauea					
	9/12/2018		Added seven (7) POI in Koloa					
	9/12/2018		Added ten (10) POI in Lihue					
	9/12/2018		Added two (2) POI in Waimea					
		09/11/18						
	9/10/2018		Spatially corrected one (1) POI in Eleele					
	9/10/2018		Spatially corrected three (3) POI in Haena					
	9/10/2018		Spatially corrected two (2) POI in Hanalei					

Kauai County

September 2018

Page 17 of 23



September 1, 2018 - September 30, 2018

MAPPING LAYERS UPDATED (PART VI)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks		
CI	RITICAL 9-1-1 I	PUBLIC SAFET	Y LAYERS FOR DISPATCH & RESPONSE		
		(Liste	d Alphabetically)		
	9/10/2018		Spatially corrected one (1) POI in Kapaa		
	9/10/2018		Spatially corrected two (2) POI in Kilauea		
	9/10/2018		Spatially corrected one (1) POI in Kokee		
Points of Interest	9/10/2018		Spatially corrected two (2) POI in Mana		
	9/10/2018		Spatially corrected two (2) POI in Moloaa		
	9/10/2018		Spatially corrected two (2) POI in Poipu		
	9/10/2018		Spatially corrected two (2) POI in Wainiha		
Police Beats					
Police Districts					
Police Response Areas					
Police Stations					
Post Offices					
Schools		09/27/18			
Schools	9/13/2018		Added one (1) school in Lihue		
		09/27/18			
	9/24/2018		Spatially corrected one (1) street centerline segment in Kalaheo		
0 0	9/24/2018		Modified one (1) range for street centerline segment in Lawai		
Street Centerlines	9/13/2018		Extended one (1) street centerline segment in Lihue		
		09/11/18			
	9/10/2018		Spatially corrected twenty-four (24) street centerline segments in Kapaa		
Subdivisions					
Tow Jurisdictions					
Tsunami Evacuation Zones					
Tsunami Heights					
Waste Water Plants					
		09/27/18			
WSP Cell Sectors	9/25/2018		Per ATT CRS		
	9/18/2018		Per ATT CRS		
		09/27/18			
WSP Cell Towers	9/25/2018		Per ATT CRS		
	9/18/2018		Per ATT CRS		

September 1, 2018 - September 30, 2018

NOTE:

• The Parcels layer is provided by Kauai County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates				
9/11/2018	Delivered updated data for MapFlex which included Address Points, Points Of				
	Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers				
9/11/2018	Delivered updated data for Spillman which included Address Points, Common				
	Names, and Street Centerlines				
9/27/2018	Delivered updated data for MapFlex which included Address Points, Fire				
	Response Areas, Points Of Interest, Street Centerlines, WSP Cell Sectors and				
	WSP Cell Towers				
9/27/2018	Delivered updated data for Spillman which included Address Points, Common				
	Names, Fire Beats, and Street Centerlines				

SPILLMAN PROJECT

The Kauai County Spillman project is considered consistent and has not had any major issues reported during September 2018.

September 1, 2018 - September 30, 2018

MAPFLEX SYSTEM

During the month of September 2018, the MapFlex system received updates manually as a result of MapFlex having several issues pertaining to the automated upload processes.

Considering that the MapFlex initiative being provided by Hawaiian Telecom and sub-contractor, West, was implemented across the State of Hawaii, in the below narrative there is some information pertaining to all of the Hawaiian Islands. For a record of historical information regarding the MapFlex system, please see MSRs during the 2015 through 2017 years.

- 1. Akimeka delivered GIS data to the MapFlex system on the following dates in September 2018
 - a. **Hawaii County** September 11th, 2018 and September 25th, 2018
 - b. **Maui County** September 11th, 2018 and September 26th, 2018
 - c. **Kauai County** September 11th, 2018, and September 27th, 2018
 - d. Honolulu September 11th, 2018, and September 28th, 2018

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by West, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and West. West provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by West is aimed to correct this issue.

Page 20 of 23

September 1, 2018 - September 30, 2018

5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the West FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	West is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending
6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with Hawaiian Tel and West that the Hawaii Fire Department submitted a trouble ticket regarding the parcel labels. When the base map is checked on for viewing the owner's names on the parcel layer, the names of some of the parcels will follow and leave their parcel as the map is panned following streets. This problem was also recreated at the Hawaii Police Department.	Pending



September 1, 2018 - September 30, 2018

OPEN SERVICE REQUESTS – SEPTEMBER 2018

#	Date	Ticket #	Description	Category	Urgency	Comments
			None			

NOTE:

There are no open service requests for September 2018.

SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2018

KAUAI COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2018	TOTAL		0	WIRELINE		WIRELESS		VolP	
	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2017 Carryover*			0						
January	0	0	0	0	0	0	0	0	0
February	1	1	0	0	0	0	0	1	1
March	0	0	0	0	0	0	0	0	0
April	0	0	0	0	0	0	0	0	0
May	0	0	0	0	0	0	0	0	0
June	0	0	0	0	0	0	0	0	0
July	0	0	0	0	0	0	0	0	0
August	0	0	0	0	0	0	0	0	0
September	0	0	0	0	0	0	0	0	0
October									
November									
December									
TOTAL	1	1	0	0	0	0	0	1	1

* The 2017 Carryover row indicates the number of Service Requests that were opened in 2017; however, were brought forward into 2018 in an effort to track the service request until completion.

	Category	Description				
<u>Definitions:</u>	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted				
	Wil Cillic	to West Safety Services via 9-1-1 Net for correction.				
		Telephone Number (ALI) Discrepancies from phones that were land lines at one time,				
	Wireless	and were ported out to a wireless carrier. However, the phone number was never				
		removed from the MSAG database.				
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to				
	VUIP	Spectrum - Time Warner Cable (TWCBL) for correction				

September 1, 2018 - September 30, 2018

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization Report – October 2018

AUDIT SUMMARY RESULTS - 2018 -- TBA

AUDIT SUMMARY RESULTS - OCTOBER 1, 2018 MSAG VS. JULY 1, 2018 MSAG -- TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS -- TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DATABASE DISCREPANCIES -- TBA

Page 23 of 23